


APPLICATION		REVISION			
NEXT ASSY	USED ON	LTR	DESCRIPTION	DATE	APPROVED
	AH-H63				



ELECTRICAL SPECIFICATIONS

ATTENUATION:

DC - 18.0 GHz 12.0 DB ± 0.75 DB

VSWR:

DC - 4.0 GHz 1.15 : 1 MAX

4.0 - 12.4 GHz 1.30 : 1 MAX

12.4 - 18.0 GHz 1.35 : 1 MAX

NOTICE: THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF MICROLAB AND SHALL NOT BE REPRODUCED, OR COPIED, OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT PERMISSION.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. TOLERANCES ARE: ON DECIMALS .XX ± .01 ANGLES ± ° FRACTIONS ± 1/64 SURFACE FINISH APPLIES MSP NO. ✓

MATERIAL:

DRAWN M.M. 12-2-88

CHECKED

E. E. APPV. *[Signature]* 1/5/88

M. E. APPV.

Q. A. APPV. *[Signature]* 1/5/88

MICROLAB/FXR
LIVINGSTON, N. J.

ATTENUATOR, FIXED

SIZE A CODE IDENT. NO. 00929 AH-H63 SCALE NONE SHEET 1 OF 1